

# INDEX MAPS.

## T.14.N R.5W 2<sup>nd</sup> Mer.

	239	238-239	238-239	238-239	238-240	237-240
242	6	265 5	260 4	256 3	250 2	245 1 237
	267	264	260	255	250	268
241	7	264 8	259 9	254 10	249 11	268 12 237
	266	264	259	254	249	245
241	18	263 17	259 16	254 15	248 14	245 13 236
	266	263	258	253	248	244
241	19	262 20	258 21	253 22	247 23	244 24 236
	266	262	257	252	247	243
241	30	262 29	257 28	252 27	247 26	243 25 236
	265	261	256	251	246	242
240	31	261 32	256 33	251 34	246 35	242 36 236
	234	233-234	233-234	233-235	233-235	233-235

## T.15.N R.5W 2<sup>nd</sup> Mer.

	275	274	274	274	274	273
277	6	300 5	295 4	290 3	286 2	281 1 273
	302	299	295	290	286	281
277	7	299 8	294 9	290 10	285 11	281 12 273
	301	298	294	289	285	280
276	18	298 17	294 16	289 15	284 14	280 13 272
	301	297	293	288	284	279
276	19	297 20	293 21	288 22	283 23	279 24 272
	300	297	292	288	283	278
276	30	296 29	292 28	287 27	283 26	278 25 272
	300	296	291	287	282	278
275	31	295 32	291 33	286 34	282 35	277 36 272
	270	270	269-271	269-271	269-271	269-271

(F The figures on the lines refer to the page.

233

Township N<sup>o</sup> 14. North of Range N<sup>o</sup> 5 West 2<sup>nd</sup> Meridian  
Ch. Veg

### South Boundary.

v. 6. 00'

West On Random line on the S. Boundary of 36 T. 14. S. R. 5. W.  
40.00 Set the temp<sup>l</sup> post for the cor. of 1/4 sec.  
73.00 To a brook 5 links wide; course S.  
80.00 Set a temp<sup>l</sup> post for the cor. of sec. 35 & 36.  
Land broken; Soil good.

---

West On Random line on the South Boundary of sec. 35,  
T. 14. N. R. 5 W.  
37.00 To a brook 5 links wide, course S.  
40.00 Set a temp<sup>l</sup> 1/4 section  
78.50 To Ed River 100 links South of Random.  
80.00 Set a temp<sup>l</sup> post for the cor. of sec. 34 & 35.  
Land each 1/2 same as last sec.; best for good farming  
Land timber same as last sec.

---

West On Random line on the South Boundary of sec. 34,  
T. 14. N. R. 5 W.  
30.00 To a brook 20 links wide, course S.  
40.00 Set a temp<sup>l</sup> 1/4 section  
62.00 To a brook 10 links wide, course N. E.  
80.00 Set a temp<sup>l</sup> post for the cor. of sec. 33 & 34  
Land part bottom & part highly good soil; good  
for farming land

Nov 17 1819

---

West On Random line on the South Boundary of sec. 33,  
T. 14. N. R. 5 W.  
40.00 Set a temp<sup>l</sup> 1/4 section  
80.00 Set a temp<sup>l</sup> post for the cor. of sec. 32 & 33.  
Land broken good soil.

---

West On Random line on the South Boundary of sec. 32





T. N. 14. N. R. N. 5 W. Quad. 235

Set 9 in. diam. beam. S 16 E. 11 links each; 80.  
 Walnut 12 " " " N 1 E. 21 " "  
 80.00 Set the temp. 1/4 post in the true line for the cor. of sec. 33 & 34  
 from which a Walnut 18 in. diam. beam. S 45 E. 11 links each  
 made a Buck. 20 " " " N 9 W. 28 " "

East On the true line On the South Boundary of sec. 34  
 T. N. 14. N. R. 5 W.

40.00 Set the temp. 1/4 post at cor. with on the true line from  
 which a T. Gum. 10 in. diam. beam. N 5 E. 10 links each;  
 made a Buck. 10 " " " S 10 E. 19 " "

80.00 Set a post for the cor. of sec. 34 & 35 in East River from  
 which a Lye corner 48 in. diam. beam. S 60 W. 71 links each

East On the true line On the South Boundary of sec. 35.  
 T. N. 14. N. R. 5 W.

40.00 Set a 1/4 sec temp. 1/4 post in the true line from which a  
 Buck. 11 in. diam. beam. N 26 W. 26 links each; 80  
 Lye. 18 " " " S 19 E. 18 " "

80.00 Set a post temp. 1/4 in the true line for the cor. of sec. 35 & 36  
 from which a Buck. 18 in. diam. beam. N 15 E. 4 links each  
 made a N Oak. 18 " " " S 37 W. 24 " "

East On the true line On the South Boundary of sec. 36. T. N. 14. N. R. 5 W.

40.00 Set the temp. 1/4 sec post in the true line from which a  
 Dr. King Asp 4 in. diam. beam. S 73 W. 3 links each; 80  
 a Buck. 10 " " " N 34 W. 36 " "

80.00 Set a post for the cor. of Towns. 13 & 14. N. R. 4 & 5 W.  
 made a post from which a

Buck. 24 in. diam. beam. N 49 W. 46 links each; 80  
 Lye. 20 " " " S 81 E. 30 " "

This corner 23 links North of the Town cor.

T. N. 14. N.R. N. 5 W. 2nd Mer. Ind.

## East Boundary

North On the East Boundary of sec. 36. T. 14 N. R. 5 W.  
 40.00 Set a 1/4 section from which a  
 Buck. 8 in. dia. beam. N 77 E 8 links dist; 85  
 Walnut. 6 " " S 80 W. 22 " "  
 80.00 Set a post for the cor. of sec. 25 & 36. From which a  
 Buck. 30 in. dia. beam. S 34 E. 48 links dist; 85  
 Walnut 10 " " N 31 W. 27 " "  
 Land rather Broken; Timber very rich and good  
 for farming. Timber blown down by high winds

North On the East Boundary of sec. 25. T. 14 N. R. 5 W.  
 40.00 To a Bayou. 50 links mid. corner S.W.  
 40.00 Set a 1/4 section from which a  
 Buckeye 12 in. dia. beam N 87 E 29 links dist;  
 48.50 To a Brook 150 links mid. corner S.W.  
 80.00 Set a post for the cor. of sec. 24 & 25 from which a  
 Buck 24 in. dia. beam. S 56 E 30 links dist; 85  
 Ho. 4 " " N 49 W 17 " "  
 Timber some oaks & some. N 1/2 creek bottom.

North On the East Boundary of sec. 24. T. 14 N. R. 5 W.  
 40.00 Set a 1/4 section from which a  
 Buck. 6 in. dia. beam. N 31 E 15 links dist; 85  
 Ho. 27 " " S 71 W 19 " "  
 10.00 (50.00?) To a Brook 10 links mid. corner -  
 80.00 Set a post for the cor. of sec. 13 & 24 from which a  
 Sugar. 5 in. dia. beam. S 45 W. 4 links dist; 85  
 Buck. 10 " " N 33 E. 32 " "  
 Land rolling and good for farming. Timber Buck  
 Sugar. Oaks & Ash.

North On the East Boundary of sec. 13. T. 14 N. R. 5 W.

237

T. N. 14. N. R. No 5 N. 2nd Mer. Sur.

- 38.00 To a Brook 4 links wide; course S. E.  
 40.00 Set a post for the cor. of 1/4 Sec. from which a  
 Buck 8. in diam. bears S. 26. N. E. links dist. 8 &  
 S. 18. " " " S. 53. E. 16. " "  
 59.00 To a Brook 10. links wide; course S. E.  
 80.00 Set a post for the cor. of Sec. 12. & 13. from which  
 a Walnut 8. in diam. bears North 10. links dist. 8 &  
 S. 8. " " " S. 20. E. 14. " "  
 Land & timber same as last mile

- North On the East Boundary of Sec. 12. T. 14. S. R. 5. N.  
 40.00 Set a post for the cor. of 1/4 Sec. from which a  
 Walnut 15. in diam. bears S. 5. E. 11. links dist. 8 &  
 Buck 30 " " " S. 10. N. 15. " "  
 80.00 Set a post for the cor. of Sec. 1. & 12. T. 14. S. R. 5. N.  
 on a Sugar 18. in diam. from  
 Land rolling & rather broken; mch. alling good for  
 farming. Timber, same as last mile.

- North On the East Boundary of Sec. 1. T. 14. S. R. 5. N.  
 40.00 Set a post for the cor. of 1/4 Sec. from which a  
 Junco 6. in diam. bears S. 3. E. 20. links dist. 8 &  
 Oak 9. " " " S. 33. E. 16. " "  
 47.00 To a Brook 15. in diam. stands in the line.  
 80.46 To the post cor. of T. N. 14 T. 15 N. R. 5 4 T. 5 N.  
 Land & Timber same as on the last mile.

- N. Boundary 71.6.00
- 9.00 On a Run line Out the South Boundary of Sec. 36.  
 T. 15. N. R. 5 N.  
 40.00 Set attempt 1/4 to post  
 13.50 (53.50?) To a Brook 30 links in, from S.  
 80.00 Set attempt 1/2 post for the cor. of Sec. 35 & 36.

T. N. 14. N. R. N. 5 W. Q. M. M. Ind.

Sandspit broken rich soil; Timber Bark, Sugar,  
Poplar & Mahogany

West On a Random line A. Round of 35. T. 15 N. R. 5 W.  
40.00 Set a trap 1/4 1/4 to post  
80.00 Set a trap 1/4 post for the cor of sec. 34 & 35.  
Sand herb; Timber Bark: good farming land.

West On a Random line On the South Round of sec. 34  
T. 15 N. R. 5 W.  
5.00 To a lake 30 links wide, Corner S. W.  
30.00 " " " 70 " " " S.  
40.00 Set a trap 1/4 1/4 to post  
45.00 To a Brook 6 links wide, Corner S.  
80.00 Set a trap 1/4 post for the cor of sec. 33 & 34. From which  
Sandspit rolling and part broken, Timber Bark,  
rich soil. Thinning good farming land.

West On a Random line On the South Round of sec. 32  
T. 14. N. R. 5 W.  
40.00 Set a trap 1/4 1/4 to post  
47.50 To a Brook 15 links wide, Corner S. W.  
70.00 " " " 20 " " " S.  
80.00 Set a trap 1/4 post for the cor of sec. 32 & 33.  
Sand similar and rather broken,

West On a Random line On the South Round of sec. 32  
T. 14. N. R. 5 W.  
20.00 To a Spring Branch 4 links wide, Corner S.  
40.00 Set a trap 1/4 1/4 to post  
80.00 Set a " post for the cor of sec. 31 & 32  
East of broken West to line and part rich  
Timber Bark.



West Quatern line On the South Boundary of Sec. 31.  
T. 15 N. R. 5 W.

40.00 Set a stump 7 1/2 supports

71.54 Set out the Range line 64 links South of the stump  
Iron cor. Shrub land and rather wet. Timber  
Black Oak & Poplar.

East Quatern line On the South Boundary of Sec. 31. T. 15 N. R. 5 W.

31.54 Set the stump 7 1/2 support on the true line from which  
4 Bush. 4 in. diam. bears S 70 W. 7 links north; 7 1/2

No. 14 " " " S 54 E 27 " "

71.54 Set a post on the true line for the cor. of Sec. 31 & 32 from  
which 4 Bush. 12 in. diam. bears S 15 W. 34 links north;  
and also No. 5 " " " S 15 E 14 " "

East On the true line on the S. Boundary of Sec. 32. T. 15 N. R. 5 W.

140.00 Set a post for the cor. of 1/4 Sec. from which a

Bush 18 in. diam. bears S 45 E 2 links. dist. 80

Maple 27 " " " S. 44 W. 20 " "

80.00 Set a post for the cor. of Sec. 32 & 33 from which a

Log made 6 in. diam. bears S 73 W. 24 links north; 8

4 Bush. 14 " " " S 65 E 26 " "

East On the true line On the South Boundary of Sec. 33.  
T. 15 N. R. 5 W.

40.00 Set the stump 7 1/2 support on the true line from which  
Lynx. 10 in. diam. bears N 13 E 7 links north; 7 1/2

Black 9 " " " S 31 W. 13 " "

80.00 Set the stump 7 support on of Sec. 33 & 34 on the true line from  
which a Lynx. 12 in. diam. bears S 60 W 15 links north; 7 1/2  
Lynx. 24 " " " S 53 E 12 " "

East Quatern line On the South Boundary of Sec. 34.

T. N. 14. N.R. N. 571 2nd Mer. Sec.

- 40.00 Set the trap 1/4 sec post on the true line from which  
Back 18 in. dist. beam N 32 W 6 links each; 83  
Ho. 18 " " " S 42 E 34 " "
- 80.00 Set the trap 1/4 sec post on the true line from the cor of Sec. 34 & 35  
from which Sugar 4 in. dist. beam. S 46 W 6 links each  
made a Ho. 13 " " N 44 E 26 " "

East On the true line Cut the South Bound of Sec. 35.  
T. 15 N.R. 571

- 40.00 Set the trap 1/4 sec post on the true line from which  
Back 6 in. dist. beam. N 44 W 4 links each; 83  
Ho. 24 " " " N 80 E 22 " "
- 80.00 Set a post for the cor of Sec. 35 & 36 from which  
Back 8 in. dist. beam. S 67 E 13 links each; 83  
Sugar 9 " " " S 70 W 15 " "

East On a true line Cut the South Bound of Sec. 36.  
T. 15 N.R. 571

- 40.00 Set the trap 1/4 sec post on the true line from which  
Back 14 in. dist. beam N 43 E 9 links each; 83  
Ho. 10 " " " S 32 W 25 " "
- 80.00 To the cor of T. 14 & 15 N.R. 574 W.

### West Boundary.

v. 6. 30

North On the East Bound of Sec. 36. T. 14. N.R. 671

- 40.00 Set a 1/4 sec post from which  
"Back 18 in. dist. beam S 49 E 14 links each; 83  
Ho. 9 " " " N 70 W 8 " "
- 80.00 Set a post for the cor of Sec. 25 & 36. from which  
Back 18 in. dist. beam S 18 E 16 links each; 83  
Wash. 4 " " " N 72 W 20 " "
- Good land 2nd rate; meadow good for fanning  
Sugar, Back, Hickory, Oak, Ash, &c.

241

T. N. 14. N.R. N. 3 W. Dist. (Mr. Sud.)

North On the East Boundary of Sec. 25. T. 14 N. R. 6 W.  
 40.00 Set a 7/8 report from which  
 Sugar. 8 in. diam. beam. S 67 E. 16 links each; 8 3/4  
 7 Oak 27 " " N 157 W 22 " "  
 73.50 To a Brook. 10 links mid, Come S. W.  
 80.00 Set a post for the cor of sec. 24 & 25 from which  
 Sugar. 14 in. diam. beam. S 69 E. 22 links each; 8 3/4  
 Hs. 6 " " " S 51 W 28 " "

June 19. 1819

North On the East Boundary of Sec. 24 T. 14. N. R. 6 W.  
 40.00 Set a 7/8 report from which  
 Elm. 15 in. diam. beam. N 50 E. 29 links each; 8 3/4  
 Hick 17 1/2 " " " S 43 W 40 " "  
 80.00 Set a post for the cor of sec. 13 & 24 from which  
 Oak 9 in. diam. beam. S 80 W 18 links each; 8 3/4  
 Sugar 9 " " " N 32 E. 22 " "  
 Land here ascertained; good for farming  
 Timber same.

North On the East Boundary of Sec. 13. T. 14. N. R. 6 W.  
 36.00 To a Brook. 15 links mid, Come S. E.  
 40.00 Set a 7/8 report from which  
 Sugar. 8 in. diam. beam. N 68 E. 23 links each; 8 3/4  
 7 Oak. 18 " " " S 4 W. 24 " "  
 80.00 Set a post for the cor of sec. 12 & 13 from which  
 Oak. 24 in. diam. beam. S 57 E. 16 links each; 8 3/4  
 Sugar. 14 " " " N 82 W 4 " "  
 Land here good for farming.

North On the East Boundary of Sec. 12 T. 14 N. R. 6 W.  
 40.00 To a Brook 3 links mid, Come W.  
 40.00 Set a 7/8 report from which.

T. 14. N. R. 5. 2<sup>nd</sup> 2<sup>nd</sup> Sec. 1.

Buck 9 in. diam. bears S. 72 E. 31 links dist; 80  
 Buck 10 " " S. 77 E. 25 " "  
 47.00 Iron Buck 5 links in, leaves Co.  
 80.00 Set a post for the cor. of sec. 1 & 2. from which a  
 Buck 8 in. diam. bears S. 50 E. 2 links dist; 43  
 Co. 6 " " S. 89 E. 14 " "  
 Sande hole and post with Timber Pines.

North On the East Corner of sec. 1. T. 14. N. R. 6 W.  
 40.00 Set a post for the cor. from which a  
 Buck 10 in. diam. bears N. 58 E. 14 links dist; 43  
 Co. 14 " " S. 24 W. 57 " "  
 57.00 Iron Buck 10 links in, leaves W.  
 80.00 Set a post for the cor. of T. 14 & 15. N. R. 5 & 6 W.  
 Sande hole.

Surveyed by  
 William Harris L.S.

### Subdivisions

North Return Sec. 35 & 36. T. 14. N. R. 5 W.  
 33.28 To a Buck 24 in diam stands in the line  
 40.00 Set a post for the cor. of 1/4 Sec. from which a  
 Buck 30 in diam. bears S. 50 E. 28 links dist. & a  
 W. Walnut 6 in " " S. 39 E. 12 " "  
 69.70 To a Buck 14 in diam stands in the line.  
 80.00 Set a post for the cor. of Sec. 25. 26. 35. & 36 from which  
 a Buckeye 12 in diam bears S. 14 E. 18 links dist & a  
 Buck 8 " " S. 71 W. 26 " "  
 Land on the 1<sup>st</sup> 1/4 mile corner is with fallen timber  
 3/4 1/2 nothing & rice. Timber. Buck. Walnut. Sugar. Ash  
 Poplar &c. Alg. Spruce & Paper pine.

East On a Random line between Sec. 25. & 36. T. 14. N. R. 5 W.

- 40.00 Set a temp<sup>t</sup> post for the cor. of 1/4 Sec.  
 79.75 Intersect the East Boundary 25 links E. of the post  
 cor. of Sec. 25. & 36.  
 Land rolling; Timber full. W. of every description. Briars

- West On the true line between Sec. 25. & 36. T. 14. S. R. 5. W.  
 39.87 Set the 1/4 Sec. post at the aver. dist. on the true line from  
 which an Os. Oak 4. in diam. bears S. 18. E. 8. links dist. & a  
 Hickory 5. in diam. bears S. 67. E. 13. " "  
 79.75 To the post cor. of Sec. 25. 26. 35. & 36.

- North Between Sec. 25. & 26. T. S. 14. S. R. 5. W.  
 21.07 To a Cottonwood — in diam. stands in the line.  
 30.50 To a Brook 100. links wide; Course S. W.  
 40.00 Set a post for the cor. of 1/4 Sec. from which a  
 Buckeye 12. in diam. bears S. 65. E. 10. links dist. & a  
 Hackberry 28. " " " S. 55. W. 6. " "  
 48.42 To a B. Walnut 30. in diam. stands in the line.  
 80.00 Set a post for the cor. of Sec. 23. 24. 25. & 26. from which a  
 Buck 12. in diam. bears S. 61. W. 12. links dist. & a  
 Sugar 12. " " " S. 29. E. 20. " "  
 Land rolling & flat bottom, soil. rich. Timber. B. Walnut.  
 Buck. Sugar. Hackberry &c. W. of. Spice, Pumpkin, &c.

- East On a Random line between Sec. 24. & 25. T. 14. S. R. 5. W.  
 25.50 To a Brook 4. links wide; Course S. E.  
 40.00 Set a temp<sup>t</sup> 1/4 Sec. post.  
 67.00 To a Spring Branch — lks. wide. Course S. E.  
 79.80 Intersect the E. Boundary. 75. links S. of the post cor. of  
 Sec. 24. & 25. Land. hilly. & broken. Timber, W. Oak  
 Buck; Sugar, &c. W. of. Spice &c.

- West On the true line between Sec. 24. & 25. T. 14. S. R. 5. W.



T. N<sup>o</sup> 14. S. R. N<sup>o</sup> 5 W 2<sup>nd</sup> Mer Ind<sup>a</sup>

39. 90 Set a post for the cor. of 1/4 Sec. at the aver. dist. in the true line from which a  
 Buck 20. in diam. bears S. 54. W. 8. links dist. & a  
 No 12. " " " S. 56. E. 22. " "
79. 80 To the post for the cor. of Sec. 23. 24. 25. & 26.

- North Between Sec. 23. & 24. T. N<sup>o</sup> 14 S. R. 5. W.  
 8. 11 To a Buck 10. in diam. stands in the line.  
 40 00 Set a post for the cor. of 1/4 Sec. from which a  
 Buck 20. in diam. bears S. 32. W. 14. links dist. & a  
 No. 22. " " " S. 85. W. 13. " "
66. 95 To a Buck 18. in diam. stands in the line.  
 72. 00 " " Sprung Branch; Course W.  
 79. 30 " " S. " " W.  
 80 00 Set a post for the cor. of Sec. 13. 14. 23. & 24. from  
 which a Poplar 30. in diam. bears S. 71. W. 18. links dist.  
 & a Buck 12. " " " S. 33. E. 27. " "  
 Land on the 1<sup>st</sup> 1/2 mile level. 2<sup>nd</sup> 1/2 nothing & rich  
 Timber Buck. Sugar. W. Oak. &c. Or. 9 Spice &c.

- East On a Random line between Sec. 13. & 24. T. 14. S. R. 5. W.  
 40 00 Set a temporary post for the cor. of 1/4 Sec.  
 79. 16 Intersecting the E. Boundary 49. links S. of the post  
 cor. of Sec. 13. & 24. - Land part rolling & part  
 level. Timber. Buck. Sugar. Poplar & Ash. No Spice

- West On the true line between Sec. 13. & 24. T. 14. S. R. 5. W.  
 39. 58 Set the post for the cor. of 1/4 Sec. at the aver. dist. on  
 the true line from which a  
 Poplar 30. in diam. bears S. 14. E. 8. links dist. & a  
 Sugar 14. " " " S. 19. E. 13. " "
79. 16 To the post cor. of Sec. 13. 14. 23. & 24.

Oct 11<sup>th</sup> 1819

T. N. 14. N. R. N. 5 W. 2<sup>nd</sup> Mer. Sud. 3

- North Between Sec. 13. & 14. T. 14. S. R. 5. W.  
 8. 50 To a Spring Branch. Course S. W.  
 14. 00 " " Break 4 links wide; Course S. W.  
 19. 00 To a Hickory 24. in diam stands in the line.  
 40. 00 Set a post for the cor. of 14 Sec. from which an  
 Ash 24. in diam. bears S. 69. E. 7. links dist. &c  
 Hemlock 6. " " " S. 40. W. 11. " "  
 59. 50 To a Spring Branch. Course S. W.  
 64. 00 " " Break 5. links wide; Course S. W.  
 67. 77 To a Sugar 14. in diam. stands in the line.  
 79. 95 To a Spring Branch. Course S. E. ...  
 80. 00 Set a post for the cor. of Sec. 11. 12. 13. & 14. from which an  
 Ironwood 7. in diam. bears S. 9. E. 25. links dist. &c  
 W. Walnut 8. " " " S. 83. W. 28. " "  
 Land hilly & broken. Timber. Buck. Sugar. Walnut  
 Poplar. &c. W. g. Spruce & Ironwood.

- East On a Random line between Sec. 12. & 13. T. 14. S. R. 5. W.  
 40. 00 Set a temp. post for the cor. of 14 Sec.  
 79. 42 Intersect the E. Boundary 42. links S. of the post  
 cor. of Sec. 12. & 13. Land rolling. Timber Buck  
 Sugar. W. Oak. Poplar. W. Ash. &c. W. g. Spruce Ironwood &c

- West On the true line between Sec. 12. & 13. T. 14. S. R. 5. W.  
 39. 71 Set a post for the cor. of 14 Sec. at the aver. dist. on the  
 true line from which a  
 Sugar 20. in diam. bears S. 40. E. 12. links dist. &c  
 Buck 10. " " " S. 58. E. 21. " "  
 79. 42 To the post for the cor. of Sec. 11. 12. 13. & 14.

For the lines between Sec. 11 & 12; 11 & 13; See end of Town Ship; omitted by mistake

- North Between Sec. 1. & 2. T. 14. S. R. 5. W.  
 15. 74 To a Sugar 12. in diam. stands in the line.  
 24. 50 " " Stream 30. links wide Course S. W.

T. N. 14 N.R. N. 5 N 2<sup>nd</sup> Mer Ind.

40. 00 Set a post for the cor of  $\frac{1}{4}$  Sec. from which a  
 Buckeye 8 in diam bears S. 82. W. 15. links dist.  $\frac{1}{2}$  a  
 No 8. " " " S. 66. E. 8. " "
55. 54 To a Sugar 24 in diam stands in the line
- 80 10 Intersect the N. Boundary 49 links E. of the post cor of  
 Sec. 1 & 2. from which a Sugar 24 in diam bears S. 65. E. 50.  
 links dist.  $\frac{1}{2}$  a Sugar 10 in diam bears S. 65. W. 5. lbs. dist.  
 Land on the 1<sup>st</sup>  $\frac{1}{2}$  post bottom & rich 2<sup>nd</sup>  $\frac{1}{2}$  rolling.  
 Timber B. & W. Walnut, Hackberry, Ash, Sugar & Birch.  
 W. g. Spice & Pampun. Oct. 12<sup>th</sup> 1814.

- North Between Sec. 35 & 34. T. S. 1  $\frac{1}{2}$  S. R. 5. W.  
 Commence at a post in the river.
6. 00 To a Stream 100 links wide; course S. W.
18. 00 " " No 100 " " " S. E.
40. 00 Set a post for the cor of  $\frac{1}{4}$  Sec. from which a  
 Hackberry 5 in diam bears S. 69. W. 12. lbs. dist.  $\frac{1}{2}$  a  
 No 5. " " " S. 42. E. 30. " "
64. 00 To a Walnut 16 in diam stands in the line.
- 80 00 Set a post for the cor of Sec. 26, 27, 34 & 35. from  
 which a Hickory 4 in diam bears S. 47. W. 9. lbs. dist.  $\frac{1}{2}$  a  
 Buckeye 4 " " " S. 52. E. 13. " "  
 Land level & rich Timber, Walnut, Sugar, Hackberry  
 & Birch. W. g. Spice & Pampun.

- East On a Random line between Sec. 26 & 35. T. 14. S. R. 5. W.
- 40 00 Set a Rump<sup>d</sup> post for the cor of  $\frac{1}{4}$  Sec.
81. 15 Intersect the S. & E. line 15 links S. of the post cor of  
 Sec. 25, 26, 35 & 36. Land rolling & broken  
 Soil rich; Timber, Birch, Sugar, Walnut & Oak, W. g. Spice
- 
- West On the true line between Sec. 26 & 35. T. 14. S. R. 5. W.
- 40 47 Set a post at the area dist. on the true line for the cor. of  $\frac{1}{4}$  sec.

From which a Sugar. 12. in diam. bears S. 85. W. 24 links dist. &c.  
 Do 20. " " " N. 56. E. 13. " "

81. 15 To the post for the cor. of Sec. 26. 27. 34. & 35.

North Between Sec. 26. & 27. T. 14. S. R. 5. W.

22. 00 To a Birch 100. links wide; Course S. W.

28. 70 " " Gycamore 12. in diam. stands in the line

40. 00 Set a post for the cor. of 1/4 Sec. from which a  
 Buckeye 10. in diam. bears S. 65. W. 28. links dist. &c.  
 Do 12. " " " N. 66. E. 11. " "

64. 25 To a Buckeye 12. in diam. stands in the line.

80. 00 Set a post for the cor. of Sec. 22. 23. 26. & 27. from which a  
 W. Elm 15. in diam. bears S. 23. W. 35. links dist. &c.  
 " Do 8. " " " N. 19. E. 47. " "

Land here & rice; Timber. B. & W. Walnut. Buckeye  
 Hackberry Gycamore &c. W. g. Pumpkin & Spice.

East On a Random line between Sec. 23. & 26. T. 14. S. R. 5. W.

40. 00 Set a temp<sup>l</sup> 1/4 Sec. post.

81. 62 Intersect the N. & S. line 81. links S. of the post cor. of  
 Sec. 23. 24. 25. & 26. Land on the 1<sup>st</sup> 1/2 mile level  
 & rice; 2<sup>nd</sup> 1/2 rolling & hilly; Timber, Buck. Oak. Gum &c.  
 Undergrowth Spice &c.

West On the true line between Sec. 23. & 26. T. 14. S. R. 5. W.

40. 81 Set a post at the avar. dist. in the true line for the cor. of  
 1/4 Sec. from which a W. Walnut 9. in diam. bears S. 88. E. 14. links dist.  
 &c. Gum 12. " " " S. 72. W. 14. " "

81. 62 To the post cor. of Sec. 22. 23. 26. & 27.

North Between Sec. 22. & 23. T. 14. S. R. 5. W.

4. 60 To a Birch 100. links wide; Course S. W.

17. 00 To a Birch 20. in diam. stands in the line.



T. No. 14. N.W. No. 5 N. 2<sup>nd</sup> Mer. Ind.

- 4000 Set a post for the cor. of 1/4 Sec. from which a  
Sugar 10. in diam. bears S. 75. W. 18. links dist. & a  
Buck 8. " " " N. 77. E. 20. " "
57. 00 To a Buck 18. in diam. stands in the line.
- 8000 Set a post for the cor. of Sec. 14. 15. 22. & 23. from  
which a Buck 10. in diam. bears N. 79. W. 11. links dist. & a  
Sh 10. " " " N. 34. E. 20. " "
- Land on the 1<sup>st</sup> 1/2 mile is hard & rich. 2<sup>nd</sup> 1/2 rolling &  
rich; Timber. Buck. W. Walnut. Ash. Sugar. Big Spice &c.

- East On a Random line between Sec. 14. & 23. T. 14. S. R. 5<sup>th</sup>.
35. 00 To a Buck 80. links wide; Course S. W.
- 4000 Set a temp. post for the cor. of 1/4 Sec.
- 74 50 To a Buck 4. links wide. Course S. W.
80. 42 Intersect the N. & E. line 84. links S. of the post cor.  
of Sec. 13. 14. 23. & 24.
- Long part rolling & part level. Timber. Buck.  
Sugar. Oak. W. & B. Walnut, &c. ~~Wandering~~ <sup>Wandering</sup> <sup>th</sup> Spice &c.

- West On the true line between Sec. 14. & 23. T. 14. S. R. 5<sup>th</sup>.
40. 21 Set a post at the aver. dist. on the true line for the cor.  
of 1/4 Sec. from which a  
Buckeye 6. in diam. bears S. 19. E. 26. links dist. & a  
Hickory 6. " " " N. 13. E. 14. " "
- 80 42 To the post cor. of Sec. 14. 15. 22. & 23. Oct. 11<sup>th</sup> 1819

- North Between Sec. 14. & 15. T. 14. S. R. 5<sup>th</sup>
26. 00 To a Red Elm 24. in diam. stands in the line
37. 60 To a Buck 100. links wide. Course S. E.
39. 00 " " Sh 100 " " " S. W.
- 4000 Set a post for the cor. of 1/4 Sec. from which a  
Sycamore 10. in diam. bears N. 8. W. 22. links dist. & a  
B. Walnut 3. " " " S. 23. E. 24. " "



40. 60 To a Brook 100 links wide; course S.E.  
 52. 10 To a Beech 20. in diam? stands in the line  
 77. 60 " " Spring Branch course W.  
 8000 Set a post cor. of Sec. 10. 11. 14. & 15. from which a  
 Beech 10. in diam? bears N. 49. W. 8. links dist. & a  
 Chestnut 3. " " G. 63. E. 10. " "  
 Land part rolling & part bottom. Soil rich; Timber.  
 W. & B. Walnut. Ash. Sugar. Beech. &c. Big Spice & Gumpan.

East On a Random line between Sec. 11. & 14. T. 14. S. R. 5 W.  
 6. 50 To a Spring course E.  
 8. 10 To a Do. Branch " S. W.  
 32. 60 " " Do. Do. " N. W.  
 39. 60 " " " Do. " S. W.  
 4000 Set a temp? post for the cor. of 14 Sec.  
 54 00 To a Spring Branch. course S. E.  
 80 54 Intersects the S. & E. line 4 links E. of the post cor. of  
 Sec. 11. 12. 13. & 14.

West On the true line between Sec. 11. & 14. T. 14. S. R. 5 W.  
 40. 24 Set a post at the even dist. on the true line for the cor. of 14  
 Sec. from which a W. Oak 15. in diam. bears S. 83. E. 17. links dist?  
 & a Maple 12. " " " N. 77. W. 14. " "  
 Land rolling; Timber Beech Sugar. W. Oak. Maple &c.  
 Undergrowth Spice &c.

North Between Sec. 10. & 11. T. N. 14. S. R. 5. W.  
 3. 00 To a Spring. course W.  
 11. 50 " " Do. " W.  
 13. 00 To a W. Elm 12. in diam? stands in the line  
 19. 50 To a Spring Branch. course S. W.  
 28. 00 " " Brook 20. links wide; course W.  
 4000 Set a post for the cor. of 14 Sec. from which

T. N. 14. S. R. N. 5. W. 2<sup>nd</sup> Mer. Ind.

W. Elm 10. in diam. bears G. 39. E. 16. links dist. & a  
 Sugar. 12. " " " S. 27. W. 18. " "  
 59. 00 To a Creek 100. links wide. Course S. W.  
 66. 00 To a Hackberry 30. in diam. stands in the line  
 80 00 Get a post for the cor. of Sec. 2. 3. 10. & 11. from which a  
 W. Walnut 30. in diam. bears G. 42. E. 34. links dist.  
 La Red Elm 15. " " " S. 20. W. 10 " "  
 Land. Spent rolling & spent level. bottom Soil rich  
 Timber. W. & B. Walnut. Hackberry. Sugar. Buckeye  
 Undergrowth Pumpkin. & Spice.

East On a Random Line between Sec. 2. & 11. T. 14. S. R. 5. W.  
 8. 00 To a Creek 80. links wide; Course S. W.  
 26. 50 " " Bush 10. " " " G. E.  
 32. 00 " " No 20. " " " S. W.  
 37. 60 " " No 20. " " " S. W.  
 40 00 Get a temp. post for the cor. of 1/4 Sec.  
 42. 00 To a Creek 20. links wide; Course South  
 73. 00 " " No 4. " " " G. E.  
 80 31 Intersect the S. & E. line 16. links S. of the post cor. of  
 Sec. 1. 2. 11. & 12.

West On the true line between Sec. 2. & 11. T. 14. S. R. 5. W.  
 40. 15 Get a post for the cor. of 1/4 Sec. at the aen. dist. on the true  
 line from which a Blue Ash 30. in diam. bears N. 17. E. 20. lbs. dist.  
 La Sugar. 10. " " " G. 65. W. 26. " "  
 Land, Spent Bottom & Spent level; Timber. B. & W. Walnut  
 B. Ash, Sugar. Buck. &c. No. Spice &c.

North Between Sec. 2. & 3. T. 14. S. R. 5. W.  
 5. 00 To a Creek 80. links wide; Course G. E.  
 16. 50 To a W. Elm 24. in diam. stands in the line  
 33. 00 To a Spring Course West.

- 40 00 Set a post for the cor. of 1/4 Sec. from which a  
Sugar 14. in diam. bears S. 75. E. 26. links dist. & a  
No 3. " " " S. 32. W. 12. " "
57. 00 To a Spring Branch course S. W.
59. 60 To a Brook 6. links wide. Course S. W.
60. 00 " " Sugar 10. in diam. stands in the line
65. 00 To a Spring Branch. Course S. W.
- 80 00 Intersect the East Boundary 38. links East of the post cor. of  
Sec. 34. & 35. T. 15. S. R. 5. W. & set a post for the cor. of Sec.  
2. & 3. from which a Buck 24 in diam. bears S. 47. W. 6 links dist. & a  
No 10. " " " S. 57. E. 10. " "
- Land in the 1<sup>st</sup> 1/4 mile rich bottom. 2<sup>nd</sup> 1/4 rolling; Timber  
Buck. Oak. Hickory Gum. &c. W. g. Spice. Oct. 12<sup>th</sup> 1819.

- North Between Sec. 33. & 34. T. 14. S. R. 5. W.
- 20 00 To a Spring Branch. Course E
25. 75 " " Sugar 24 in diam. stands in the line
- 40 00 Set a post for the cor. of 1/4 Sec. from which a  
Buckeye 10. in diam. bears S. 27. E. 8. links dist. & a  
W. Walnut 24. " " " S. 62. W. 19 " "
- 40 50 To a Brook 20. links wide; Course East.
53. 25 To a W. Oak 15. in diam. stands in the line
- 80 00 Set a post for the cor. of Sec. 27. 28. 33. & 34. from which  
a Buck 15. in diam. bears S. 79. W. 23. links dist. & a  
W. Ash 10. " " " S. 61. E. 30. " "
- Land rolling hilly & broken; Timber. Oak. Buck. Sugar  
& Ash Hickory. Red Oak &c. W. g. Dogwood & Spice

- East On a Random between Sec. 27. & 34. T. 14. S. R. 5. W.
23. 60 To a Spring Branch; Course S. E.
- 40 00 Set a temp<sup>l</sup> post for the cor. of 1/4 Sec.
41. 00 To a Spring Branch; Course S. E.
56. 50 " a Brook 100. links wide Course South.

T. N. 14. N.R. N. 5 W 2<sup>nd</sup> Mer. Ind.

80 47 Intersecting the S. & Q. line at the post cor. of Sec.  
26. 27. 34. & 35. T. 14. S. R. 5. W.

West On the true line between Sec. 27. & 34 T. 14 S. R. 5. W.  
40 23 Set a post at the aver dist. on the true line for the cor. of 1/4  
Sec. from which a Sugar 24. in diam bears S. 55. W. 18. links dist.  
A Buckeye 4. " " " S. 2. E. 8. " "

80 47 To the post cor. of Sec. 27. 28. 33. & 34.  
Land on the 1<sup>st</sup> 1/2 mile hilly & broken. 2<sup>nd</sup> 1/2 part  
rolling & level Bottom. Timber W. & B. Walnut. Beech,  
Sugar. Hackberry &c. soil rich W. g. Aspice & Gampan

North Between Sec. 27. & 28. T. 14. S. R. 5. W.

24. 00 To a Poplar 10. in diam. stands in the line

40 00 Set a post for the cor. of 1/4 Sec. from which an  
B. Oak 30. in diam. bears S. 45. W. 21. links dist. & a  
Sugar 10. " " " S. 37. E. 36. " "

55. 40 To a Gum 10. in diam. stands in the line

73. 00 To a Spring Branch. Course S. W.

80 00 Set a post for the cor. of Sec. 21. 22. 27. & 28. from which  
a Beech 10. in diam. bears S. 59. E. 3. links dist. & a  
Sugar 24. " " " S. 45. W. 29. " "

Land hilly & broken. 3<sup>rd</sup> rate. Timber. Beech. Oak  
Gum. Sugar & Poplar W. g. Aspice Dogwood, &c

East On a Random line between Sec. 22. & 27. T. 14. S. R. 5. W.

40. 00 Set a temp. post for the cor. of 1/4 Sec.

40. 00 To a Spring.

50 00 " " do.

77. 00 To a creek 100. links up the Course South.

80 00 Intersect the S. & Q. line 17. links S. of the post cor.  
of Sec. 22. 23. 26. & 27. T. 14. S. R. 5. W.



253

T. N<sup>o</sup> 124 N.W. N<sup>o</sup> 5 W 2<sup>nd</sup> Mer. Ind.

West On the true line between Sec. 22 & 27. T. 14. S. R. 5. W.  
 4000 Get a post for the cen. of 1/4 Sec at the aver. dist. in the true line  
 from which a W. Walnut 6. in diam. bears S. 32. W. 38. 1/2 m. dist.  
 & a " S. 5. " " " S. 70 E. 38. " "  
 Land on the 1<sup>st</sup> 1/2 mile hilly & broken. On the 2<sup>nd</sup> 1/2 part  
 rolling & part level bottom, Soil rich; Timber. B. & W.  
 Walnut, Buck. Oak. Poplar &c. U. g. Spruce &c.

---

North Between Sec. 21. & 22. T. 14. S. R. 5. W.  
 4.00 To a Spring Branch Course E.  
 5.00 " " S. S. " E.  
 34.60 To a W. Oak 36. in diam. stands in the line  
 37.60 To a Spring Branch. Course S. E.  
 4000 Get a post for the cen. of 1/4 Sec. from which a  
 Hickory 12. in diam. bears S. 44. E. 17. links dist. & a  
 Junco 4. " " " S. 22. W. 22. " "  
 55.00 To a Hickory 12. in diam. stands in the line  
 71.60 To a Brook 25. links wide, Course East  
 8000 Made the cen. for the sec. 15. 16. 20 & 21. on a Lynx 24  
 in diam. from which a  
 Buck 15. in diam. bears S. 33. W. 24. links dist. & a  
 S. 10. " " " S. 18. E. 17. " "  
 Land hilly & broken, Timber Buck. Oak. Sugar  
 Hickory, Gum &c. U. g. Dogwood & Spice.

---

East On a Random line between Sec. 15. & 22. T. 14. S. R. 5. W.  
 1.00 To a Brook 10. links wide; Course E. & E.  
 7.00 To a Spring.  
 3000 " " S. Branch. Course South  
 33.00 " " S. S. " South  
 4000 Get a temp<sup>o</sup> post for the cen. of 1/4 Sec.  
 80.11 Intersect the S. & E. line 50. links S. of the post cen. of Sec. 14. 15. 22 & 23.  
 14. 15. 22 & 23. T. 14. S. R. 5. W.



T. N. 14. N. R. N. 577 2<sup>nd</sup> Mer. Ind.

West On the New line between Jul. 15 & 22 T. 14. N. R. 577  
 40.05 Set the traps? 1/4 supst at cr. creek on the New line from  
 which Sugar 10 in. dist. from 94171 33 miles dist;  
 and 8000 L. 8 " " " 953 E. 22 " "  
 80.11 To the post cr. of Jul. 15, 16. 21 & 22  
 Land 12<sup>th</sup> 1/2 mile rolling and broken, 2<sup>nd</sup> 1/2 mile  
 rolling: Timber Birch, Sugar, Oak, Gum, Poplar  
 Oct. 13. 1899.

North Between Jul. 15 & 16 T. 14. N. R. 577  
 20.50 To a W Oak 12 in. dist. in the line  
 40.00 Set a 1/4 supst from which  
 Birch 10 in. dist. from N.E. 6 miles dist; & 3  
 L. 18 " " " 940 E. 36. "  
 60.10 To a Sugar 15 in. dist. in the line.  
 80.00 Set a post for the cr. of Jul. 9. 10-15 & 16 from which  
 Birch 18 in. dist. from 938 E. 33 miles dist; & 9  
 Sugar 14 " " " 978 W. 20 " "  
 Land rolling: Timber Birch, Oak, Gum, Sugar,  
 Ash, Hickory & c. U.S. Spruce, & log wood.

East On the New line between Jul. 10 & 15 T. 14. N. R. 577  
 24.00 To a Spring branch  
 40.00 Set a traps? 1/4 supst  
 42.00 To a Spring branch - across L. 2.  
 61.60 To a Creek 80 miles dist. across L.  
 80.06 Intercept the N & S line 19 miles South of the post cr.  
 from 10. 11 14 & 15  
 Land 12<sup>th</sup> 1/2 mile rolling: 2<sup>nd</sup> 1/2 mile flat rolling &  
 flat hard bottom: fast oak; Timber B & W Hickory,  
 Birch, Sugar, & Hickory: Undergrowth Spruce

West On the New line between Jul. 10 & 15 T. 14. N. R. 577

T. N. 14. N.R. No 5 W. 2<sup>nd</sup> Mer. Ind.

- 40.03 Set the trap 1/4 a post at the av. ditch on the line from  
which a Spruce which on  
R. Oak 18 in. diam. trunk. S 58 E 10 links each; & 3  
Buck. 4 " " " N 77 W 10 " "
- 80.06 To the post cor of sec. 9, 10, 15 & 16.

- North Between Sec 9 & 10. T. 14. N.R. 5 W.
- 17.00 To a Sugar. 24 in. diam. in the line.
- 40.00 Set a 1/4 a post from which a  
W Oak. 48 in. diam. trunk. N 64 W. 32 links each; & 3  
Poplar. 40 " " " N 86 E. 17 " "
- 59.60 To a Sugar. 28 in. diam. in the line.
- 80.00 Set a post for the cor of sec. 3, 4, 9, & 10. from which a  
Buck. 12 in. diam. trunk. S 78 W 21 links each; & 3  
Spruce. 20 " " " N 43 E. 21 " "
- Land rolling and 2<sup>nd</sup> rate; Timber W & N Oak  
Poplar, Sugar, Spruce, Hognose & Whitey, &  
undergrowth Spruce & Hognose.

- Each One Random line between Sec. 3 & 10. T. 14. N.R. 5 W.
- 39.00 To a Buck 30 links each, Corner S.E.
- 40.00 Set a trap 1/4 a post
- 80.12 Intersub the N & S line 7 links South of the post cor of  
2, 3, 10 & 11.  
Land 1/2 mile rolling. & part level on the 2<sup>nd</sup> & 3<sup>rd</sup>  
Rolling Timber Buck, N & W Walnut, Oak,  
Sugar, Poplar & Oak; undergrowth Spruce.

- West Each line between Sec. 3 & 10. T. 13. N.R. 5 W.
- 40.00 Set the trap 1/4 a post at av. ditch on the line from  
which a Buck 6 in. diam. trunk. N 30 E. 13 links each;  
Oak 12 in. diam. " " S 60 E 9 " "
- 80.12 To the post cor of sec. 3, 4, 9 & 10.

T. No 14. N.R. No 577. 2<sup>nd</sup> Mer.

North Return Sec. 3 & 4. T. 14 N.R. 577.  
 15.60 To N Oak 36 in. diam. in the line.  
 30.50 To a Brook 25 links wide, Course E.  
 40.00 Set a 7/4 aspeck from which  
 W Oak 24 in. diam. bears S. 17 E. 25 links east; & O  
 Cherry 12 " " " S 31 W 20 " "  
 70.10 To N Oak 30 in. diam. in the line.  
 80.40 Intersect the N. Boundary 44 links East of the post  
 on of sec. 33 & 34. T. 14 N.R. 577 and set a post from the  
 cor. of sec. 3 & 4. from which  
 Sugar 10 in. diam. bears S 45 E. 32 links east; & O  
 No. 4 " " " N 41 W 10 " "  
 Land highly made broken; Timber Oak, Sugar, &  
 Oak Gum, Hog wood &c. Under the Brook of  
 Every description Oct. 14 1872

North Between Sec. 32 & 33 T. 14 N.R. 577.  
 10.50 To a Spruce 24 in. diam. in the line.  
 36.50 To a Brook 3 links wide, Course S.W.  
 40.00 Set a 7/4 aspeck from which an  
 Asp. 24 in. diam. bears N 79 W 38 links east; & O  
 Sugar 10 " " " S 69 E. 29 " "  
 56.50 To a Brook 4 links wide, Course S.W.  
 61.00 " " W Oak 24 in. diam. in the line.  
 80.00 Set a post for the cor. of Sec. 28 & 29. 32 & 33. from which  
 a Sugar 14 in. diam. bears S 69 E. 2 links east; & a  
 Birch 10 " " " S. 70 W 8 " "  
 Land Hilly & broken; Timber, Birch, Sugar, W. Ash  
 Poplar &c. Ug. Spruce, Hemlock & Dogwood.

East On a Random line between Sec. 28 & 33. T. 14 N.R. 577  
 40.00 Set a temp. post for the cor. of 14 Sec.  
 56.50 To a Brook 4 links wide; S. W.

T. N. 14. S. R. N. 5. W. 2<sup>nd</sup>. Mer. (Ind<sup>ed</sup>)

80. 62 Intersect the S. & G. line 7 links S. of the post. cor. of Sec.  
27. 28. 33. & 34.  
Land hilly & broken; Timber, W. Oak. Buck. Sugar. &c  
Ug. Ironwood; Spice & very bushy.

West On the true line between Sec. 28. & 33. T. 14. S. R. 5. W.  
40-31 Set a post for the cor. of 1/4 Sec. at the aver. dist. on the true line  
from which a Buck 12. in diam. bears S. 62. E. 25. links dist. & a  
S. 12. " " " S. 57. W. 17. " "  
80. 62 To the post. cor. of Sec. 28. 29. 32. & 33.

North Between Sec. 28. & 29. T. 14. S. R. 5. W.  
18. 25 To a Hickory 24 in diam. stands in the line  
1000 Set a post for the cor. of 1/4 Sec. post from which a W  
Hornbeam 6. in diam. bears S. 58. E. 7. links dist. & a  
W. Walnut 7. " " " S. 62. W. 31. " "  
54. 00 To a Spring Branch. Course S. E.  
\*77. 00 " " Brook 4. links wide; Course S. E.  
\*54. 64 To a Buck 12. in diam. stands in the line.  
8000 Set a post. for the cor. of Sec. 20. 21. 28. & 29. from which  
a Buck 12. in diam. bears S. 64. W. 32. links dist. & a  
Hickory 20. " " " S. 27. W. 11. " "  
Land hilly & broken; Timber, W. Oak. Sugar. Buck &c.  
Ug. Spice Ironwood. & very thick.

East On a Random line between Sec. 21. & 28. T. 14. S. R. 5. W.  
16. 50 To a Spring Branch. Course S. W.  
25. 50 " " S. W. " " S. W.  
40 00 Set the temp<sup>l</sup> post for the cor. of 1/4 Sec.  
80 40 Intersect the S. & G. line 48 links South of the post. cor.  
of Sec. 21. 22. 27. & 28.  
Land very hilly & broken; Timber Buck Sugar. W. Oak  
&c. Underg<sup>th</sup> Spice Ironwood. Briers &c.



T. N<sup>o</sup> 14. S. R. N<sup>o</sup> 5 W. 3<sup>rd</sup> Mer Ind<sup>a</sup>.

West On the true line between Secs 21 & 22. T. 14. S. R. 5. W.  
 40 20 Get a post for the cor. of 1/4 Sec. at the aver. dist. on the true  
 line from which a Hickory 12 in diam. bears S. 24 E. 6. lks. dist.  
 & a Sugar 8. " " " S. 26. E. 6. " "  
 80 40 To the post cor. of Sec. 20 21. 22. & 29.

North Between Secs 20 & 21. T. 14. S. R. 5. W.  
 22. 50 To a Beech 12 in diam. stands in the line  
 40 00 Get a post for the cor. of 1/4 Sec. from which a  
 Beech 12 in diam. bears S. 77. E. 27. links dist. & a  
 No 16. " " " S. 25. W. 18. " "  
 49. 75 To a Spring Branch. Course S. W.  
 67. 50 To a W. Oak 12 in diam. stands in the line  
 80 00 Get a post for the cor. of Secs 16. 17. 20. & 21. from which a  
 Beech 10 in diam. bears S. 69. E. 16. links dist. & a.  
 Lynn 24. " " " North 10. " "  
 Land hilly & broken. Timber. Beech. Sugar. Poplar  
 W. Oak. Ash. &c. Undergrowth. Spice &c.

East On a Random line between Secs 16 & 21. T. 14. S. R. 5. W.  
 18. 00 To a Spring Branch. Course S. E.  
 22. 50 " " No. No. " "  
 40 00 Get a temp<sup>y</sup> post for the cor. of 1/4 Sec.  
 80 00 Intersect the S. & S. line 10 links S. of the post cor. of  
 Secs 15. 16. 21 & 22. T. 14. S. R. 5. W.  
 Land hilly & broken; Timber. Beech. Sugar. Elm  
 W. Oak. Poplar. &c. U. g. Hemlock. & Spice

West On the true line between Secs 16 & 21. T. 14. S. R. 5. W.  
 40 05 Get a temp<sup>y</sup> post at the aver. dist. on the true line for the  
 cor. of 1/4 Sec. from which a  
 Lynn 20 in diam. bears S. 12. E. 28. links dist. & a  
 Beech 18. " " " S. 34. E. 26. " "



## T. N 14. N. R. N. 5. W. 2nd Mer. (Ind. a)

80-10 To the West cor. of Sec. 16. 17. 20. &amp; 21.

North Between Sec. 16. &amp; 17. T. 14. N. R. N. 5. W.

10-00 To a Birch 15. links wide. Course S. W.

11. 50 To a Buckeye 12. in diam. stands in the line

20. 00 " a Birch 15. links wide; Course S. E.

40-00 Set a post for the cor. of the Sec. from which a  
Sum 20. in diam. bears S. 12. E. 24. links dist. & a  
Birch 6. " " " S. 48. W. 8. " "

51. 11 To a Poplar 36. in diam. stands in the line

80-00 Set a post for the cor. of Sec. 8. 9. 16. & 17. from which a  
Sugar 24. in diam. bears S. 75. E. 14. links dist. & a  
Birch 6. " " " S. 60. W. 30. " "  
Land hilly & broken; Timber, Birch. W. Oak. Sugar.  
Poplar & Hickory &c. U. g. Spice & Ironwoods.

East On a Random line between Sec. 9. &amp; 16. T. 14. N. R. N. 5. W.

40-00 Set a temp. post for the cor. of 1/4 Sec.

79. 18 Intersect the S. & E. line 47. links E. of the post cor. of Sec.  
9. 10. 15. & 16.

West On the true line between Sec. 9. &amp; 16. T. 14. N. R. N. 5. W.

39. 59 Set a post for the cor. of 1/4 Sec. at the area. dist. on the true  
line, from which a Birch 10. in diam. bears S. 43. E. 16. links dist.

&amp; a " 10. " " " S. 73. W. 6. " "

Land very hilly & broken. Timber. Birch. Sugar. Hickory  
Poplar &c. U. g. Sugar, Ironwoods & Spice

79. 18 To the post cor. of Sec. 8. 9. 16. &amp; 17.

North Between Sec. 8. &amp; 9. T. N 14. N. R. N. 5. W.

26. 12 To a Hickory 20. in diam. stands in the line

40-00 Set a post for the cor. of 1/4 Sec. from which a  
Sugar 18. in diam. bears S. 17. E. 19. links dist. & a

T. N 14. S. R. N 5. W. Dra (Ind. 2)

an Ironwood 8. in diam. bears S. 61. E. 5. links dist.

53. 80 To a Hickory 20. in diam. stands in the line

80 00 Set a post for the cor. of Sec. 4. 5. 8. & 9. from which a  
Sum 20. in diam. bears S. 35. E. 7. links dist. &c

W. Oak 30. " " S. 42. W. 32. " "

Land hilly & broken; Timber. Beech. Sugar. W. Oak. Hick.  
Sum. &c. Underg. Spice &c.

East On a Random line between Sec. 4. &amp; 9. T. 14. S. R. 5. W.

18. 00 To a Brook 6. links wide; Course S. E.

32. 00 " " S. 6. " " " S. W.

40 00 Set a temp<sup>y</sup> post for the cor. of 1/4 Sec.79. 83 Intersect the S. & E. line 15. links E. of the post cor. of  
Sec. 3. 4. 9. & 10.Land hilly & spars rolling Timber. Beech Sugar.  
W. Oak. &c. W. g. Spice & Ironwood.

West On the true line between Sec. 4. &amp; 9. T. 14. S. R. 5. W.

39. 92 Set the post for the cor. of 1/4 Sec. at the aver. dist. on the  
true line from which a

Sugar 12. in diam. bears S. 69. E. 7. links dist. &amp;c

Beech 6. " " " S. 29. W. 11. " "

79. 83 To the post cor. of sec. 4. 5. 8. &amp; 9.

North Between Sec. 4. &amp; 5. T. 14. S. R. 5. W.

13. 00 To a Brook 8. links wide; Course East

21. 50 To a W. Oak 24. in diam. stands in the line

40 00 Set a post for the cor. of 1/4 Sec. from which a

Beech 10. in diam. bears S. 89. E. 34. links dist. &amp;c

S. 10 " " " S. 85. W. 14. " "

67. 15 To a Beech 12. in diam. stands in the line

81. 92 Intersect the North Boundary 100. links East of the  
post cor. of Sec. 32. & 33. T. 15. S. R. 5. W. and set a post

T. N 14 S. R. N 5. W. 2<sup>nd</sup> Mer. (Ind.')

cor of Sec. 4 & 5. From which a  
Buck 16. in diam. bears S. 31. E. 18. links dist. &c  
W. Oak 24. " " S. 5. W. 31. " "  
Land hilly & broken; Timber. Buck. W. Oak. Hackberry  
Poplar. &c. U. g. Spice Ironwood. Dogwood &c.

North Between Sec. 31. & 32. T. 14. S. R. 5. W.  
16. 68 To a Sugar. 14. in diam. stands in the line.  
30. 00 To a Spring Branch. Course S. E.  
38. 00 " " Brook 20. links wide; Course S. E.  
40. 00 Get a post for the cor. of 1/4 Sec. from which a  
Buck 6. in diam. bears S. 70. W. 14. links dist. &c  
Sh 12. " " S. 14. W. 25. " "  
58. 50 To a W. Oak 20. in diam. stands in the line  
60 07 To a Brook 14. links wide; Course S. E.  
78. 50 To a Spring Branch Course S. E.  
80 00 Get a post for the cor. of Sec. 29. 30. 31. & 32. from which  
a Buck 6. in diam. bears S. 55. W. 16. links dist. &c  
Sugar 10. " " S. 67. E. 25. " "  
Land hilly & rolling. Timber. W. Oak. Sugar. Buck &c.  
Undergrowth Spice & Ironwood.

East On a Random line Between Sec. 29. & 32. T. 14. S. R. 5. W.  
21. 00 To a Spring Branch Course S.  
40 00 Get a temp. post for the cor. of 1/4 Sec.  
80. 61 Intersected the S. & E. line at the post. cor. of Sec. 28. 29. 32 & 33  
Land very hilly & Broken. Timber Buck. Sugar.  
W. Oak &c. Underg<sup>th</sup> Spice & Ironwood.

West On the true line between Sec. 29. & 32. T. 14. S. R. 5. W.  
40. 30 Get a post for the cor. of 1/4 Sec. at the ver. dist. on the true  
line from which a Buck 20. in diam. bears S. 65. W. 14. links dist.  
and a Sh 14. " " S. 58. E. 10. " "

T. & No 14. S. R. & No 5. W. 3rd Mer. Ind.

80 61 To the post cor. of Sec. 29. 30. 31. & 32.

North Between Sec. 29. & 30. T. 14. S. R. 5. W.

110 00 Set a post for the cor. of 1/4 Sec from which a  
Buck 12 in diam. bears S. 32. W. 15. links dist. & a  
Poplar 30. " " " S. 70. E. 30. " "

75. 00 To a Buck 24 in diam. stands in the line.

80 00 Set a post for the cor. of Sec. 19. 20. 29. & 30. from which an  
H. Oak 20. in diam. bears S. 81. W. — links dist. & a  
Buck 12. " " " S. 41. E. 29. " "  
Land level; Timber. H. Oak. W. Oak. Sugar. & Hickory  
Undergrowth Aspice. &c.

East On a Random line Between Sec. 20. & 29. T. 14. S. R. 5. W.

40 00 Set a temp<sup>t</sup> post for the cor. of 1/4 Sec.

78. 00 To a Spring Branch. Course S.

80 72 Intersect the S. & E. line 15. links south of the post cor.  
of Sec. 20. 21. 28. & 29

Land part level & part broken; Timber. Buck.  
Sugar. W. Oak. Hickory. &c. N.g. Aspice &c.

West On the true line between Sec. 20. & 29. T. 14. S. R. 5. W.

40 36 Set a post for the cor. of 1/4 at the aver. dist. on the true line  
from which an Elm 10 in diam. bears S. 82. W. 46. links dist.  
and a Buck 24 " " " S. 73. E. 26. " "

80 72 To the post cor. of Sec. 19. 20. 29. & 30.

North Between Sec. 19. & 20. T. & No 14 S. R. 5. W.

18. 00 To a Buck 24 in diam. stands in the line

40 00 Set a post for the cor. of 1/4 Sec. from which a  
Poplar 8. in diam. bears S. 61. W. 17. links dist. & a  
Sugar 10. " " " S. 4. E. 17. " "

55. 00 To a W. Oak 26. in diam. stands in the line



T. N. 14. N. R. No 5. W. 2<sup>nd</sup> Mer. (Ind.?)

57. 50 To a Brook 4 links wide. Course East.  
 8000 Get a Post cor. of Secs. 17. 18. 19. & 20. from which a  
 Lynn 10. in diam. bears S. 5. E. 12. links dist. & a  
 Sugar 4. " " " S. 87. E. 5. " "  
 Land part level. & part hilly; Timber. Buck. Sugar  
 Poplar. W. Oak. &c. W. g. Spice. & Ironwood &c.

East On a Random line between Secs 17. & 20 T. 14. S. R. 5. W.  
 4000 Get a temp<sup>y</sup> Post for the cor. of 1/4 Sec.  
 58. 50 To a Brook 20 links wide; Course S. E.  
 82. 00 Intersect the S. & W. line 10 links South of the post cor.  
 of Secs. 16. 17. 20. & 21.  
 Land very hilly & broken. Timber. Buck. Sugar. W. Oak  
 &c. W. g. of every description

West On the true line between Secs 17. & 20 T. 14. S. R. 5. W.  
 41. 00 Get the Post at the aver. dist. on the true line for the cor. of 1/4  
 Sec. from which a B. Oak 24. in diam. bears S. 5. W. 17. links dist. & a  
 Sugar 24. " " " S. 9. E. 25. " "  
 82. 00 To the Post cor. of Secs 17. 18. 19. & 20.

North Between Secs 17. & 18. T. 14. S. R. 5. W.  
 23. 00 To a Sugar 14. in diam. stands in the line  
 4000 Get a Post for the cor. of 1/4 Sec. from which a  
 Sugar 10. in diam. bears S. 70. W. 17. links dist. and a  
 Buck 8. " " " S. 70. E. 9. " "  
 62. 00 To a Hickory 30 in diam. stands in the line  
 7000 " " Brook 10. links wide; Course E.  
 8000 Get a Post cor. of Secs. 7. 8. 17. & 18. from which a  
 Buck 15. in diam. bears S. 78. W. 44. links dist. & a  
 Sh 20. " " " S. 17. E. 30 " "  
 Land hilly & very broken. Timber. Buck. Sugar. W. Oak  
 Poplar &c. W. g. Spice Ironwood &c.



## T. &amp; S. 14. S. R. No 5. Op. 2nd Mer. Ind.

East On a Random line between Sec. 8. & 17. T. 14. S. R. 5. W.  
 40 00 Set a temp<sup>y</sup> post for the cor of 1/4 Sec.  
 82. 00 Intersect the S. & G. line 41. links S. of the post cor. of  
 Sec. 8. 9. 16. & 17.  
 Land very hilly & broken; Timber Buck Sugar  
 W. Oak &c. W. g. Spice & Ironwood.

West On the true line between Sec. 8. & 17. T. 14. S. R. 5. W.  
 41. 00 Set the post at the aver. dist. on the true line for the cor. of  
 1/4 Sec. from which a Sugar 10. in diam. bears S. 1. E. 19. links dist.  
 A W. Oak 6. in diam. bears S. 83 W. 20. "  
 82. 00 To the post for the cor. of Sec. 7. 8. 17. & 18.

North Between Sec. 7. & 8. T. 14. S. R. 5. W.  
 15. 00 To a Buck 15. in diam. stands in the line  
 24. 00 " " Buck 15. links wide Course S. E.  
 40 00 Set a post for the cor. of 1/4 Sec. from which a  
 Buck 12. in diam. bears S. 73. E. 9. links dist. &c  
 W. Oak 40. " " S. 63. W. 14. " "  
 60. 00 To a Buck 24. in diam. stands in the line.  
 80 00 Set a post for the cor. of Sec. 5. 6. 7. & 8. from which a  
 Buck 10. in diam. bears S. 35. W. 16. links dist. &c  
 S. 10. " " S. 51. E. 16. " "  
 Land hilly & rolling; Timber. Buck Sugar Hickory  
 Oak &c. Underg<sup>th</sup> Spice &c.

East On a Random line between Sec. 5. & 8. T. 14. S. R. 5. W.  
 40 00 Set a temp<sup>y</sup> post for the cor. of 1/4 Sec.  
 81. 23 Intersect the S. & G. line 23. links S. of the post cor. of  
 4. 5. 8. & 9. Land level & part broken. Timber  
 Buck Sugar W. Oak &c. W. g. Spice &c.

West On the true line between Sec. 5. & 8. T. 14. S. R. 5. W.

H.O. 62 Get the spot for the cor. of 1/4 Sec. at the aver. dist. on the true line  
from which a Block 18. in diam. bears S. 65. W. 23. links dist. & a  
Lynn 12. " " " S. 59. E. 24. " "

81. 23. To the East cor. of Secs. 5. 6. 7. & 8.

North Between Dec. 5. 46. T. N. 14. S. R. 5. M.

21. 00 To a Gum 18. in diam. stands in the line

4000 Get a spot for the cor of the Sec. from which a  
W. Walnut 12. in diam: bears 9.44. E. 5. limits dist: in g. a  
Sugar C. " " " " L. 5. W. 12. " "

80. 50 Intersect the Tenn. Boundary 55 links West of the Por-  
er of Sec. 31. & 32. T. 15. S. R. 5. W. & set a post for  
the cor. of Sec. 5. & 6. From which a  
Buck 10. in diam. bears S. 73. W. 28 links dist. & a  
Buck 15 " " " S. 12. E. 25. " "  
Land level. Timber. Buck. Hickory. W. Oak &c.  
Undergrowth Spice & Ironwood.

Wash Between Sep. 30. & 31. T 14. S. R. 5. W.

15. 10 To a Spring. Course I. E.

15 56 To a W. Oak 36 in diam. stands in the line

32. or To a Spring Branch. Course S. E.

4000    Ice a Sport for the cor. of  $\frac{1}{4}$  Sec. Gum which are  
No. Oak 40. in diam. bears N. 37. - 3. limbs dist. 12 a  
Buck 15. " " " G. C. D. M. 17. " "

58.60 To a Beret 24 in diam. stands in the line

59. 60 Intersect the West Boundary 84 links South of the Post  
 cor. of Secs. 25. & 36. T. 14. S. R. 6. W. & set a Post for  
 the cor. of Secs. 30. & 31. from which a  
 Buck 12. in diam. bears S. 78. E. 16. links dist. &c  
 B. Oak 40. " " " S. 7. E. 5. " "  
 Lanes rolling & 3<sup>d</sup> rate. Timber. Buck. Oak Poplar &c.  
 W. of every description.

T. & 14. S. R. S. 5. M. 2<sup>nd</sup> Mer.

- West Between Sec. 19. & 30. T. 14. S. R. S. 5. M.  
 9. 00 To a Spring Course. S. M.  
 18. 00 " " To Branch Course S. M.  
 21. 00 To a Sugar 18. in diam. stands in the line  
 4000 Get a Post for the cor. of 1/4 Sec. from which a  
 Buck 12. in diam. bears S. 68. E. 26. links dist. &c  
 S. 10. " " " S. 31. M. 14. " "  
 48. 00 To a Spring Branch. Course S. M.  
 57. 00 " " S. S. " S. M.  
 69. 86 Intersect the West Boundary 26. links South of the Post  
 cor. of Sec. 24. & 25. T. 14. S. R. S. 6. M. & set a Post for  
 the cor. of Sec. 19. & 30. from which a  
 Sugar 10. in diam. bears S. 49. W. 18. links dist. &c  
 S. 8. " " " S. 55. E. 12. " "  
 Land rolling & 2<sup>nd</sup> rate. Timber. Buck Sugar. Oak  
 Poplar &c. W. of every description

- West Between Sec. 18. & 19. T. & 14. S. R. S. 5. M.  
 18. 50 To a Buck 18. in diam. stands in the line  
 4000 Get a Post for the cor. of 1/4 Sec. from which a  
 Hickory 14. in diam. bears S. 50. E. 16. links dist. &c  
 Buck 12. " " " S. 75. E. 16. " "  
 70 73 Intersect the West Boundary at the Post cor. of Sec.  
 13. & 24. T. 14. S. R. S. 6. M.  
 Land hilly & broken Timber, Buck, Oak, Sugar.  
 Poplar. Gum. &c. W. of every description & very plenty.

- West Between Sec. 7. & 18. T. 14. S. R. S. 5. M.  
 4000 Get a Post for the cor. of 1/4 Sec. from which a  
 Sugar 10. in diam. bears S. 7. E. 19. links dist. &c  
 Buck 6. " " " S. 83. M. 21. " "  
 71. 00 Intersect the West Boundary 83. links E. of the Post  
 cor. of Sec. 12. & 13. T. 14. S. R. S. 6. M. & set a Post for

T. No 14. N. R. No 5. W. 2nd Mer. Ind.

the cor. of Sec. 7. & 18. from which a  
 Poplar 6. in diam. bears S. 16. E. 19. links dist. & a  
 do 8. " " " N. 62. E. 17. " "  
 Land hilly & broken. Timber Buck. Sugar. Oak. Poplar.  
 Undergrowth of every description


---

West Between Sec. 6. & 7. T. 14. N. R. 5. W.  
 24. 65 To a Sugar 15. in diam. stands in the line  
 4000 To a Post for the cor. of 1/4 Sec. from which a Sugar  
 Sugar 9. in diam. bears S. 43. W. 19. links dist. and a  
 do 14. " " " S. 35. E. 19. " "  
 71. 13 Intersect the Town Boundary 43. links South of the  
 Post cor. of Sec. 1. & 12. T. 14. N. R. 6. W. & made the  
 Cor. on a W Oak 16. in diam. from which a  
 W Oak 36. in diam. bears S. 12. W. 14. links dist.  
 Land & Timber same as on the last mile.  
 Surveyed by  
 John Collett. D.S.

---

I certify that the foregoing Transcript of  
 the field notes of Township No 14. North of Range  
 No 5 West, of the 2nd Meridian Indiana, has  
 been compared with the Original notes in this  
 Office and found to be correct.

Surveyor General's Office  
 Cincinnati May 20. 1844

  
 J. S. McKim  
 Sur. Genl.

T. N 14. N 16. N 5. W. 2<sup>nd</sup> Mer. Ind.

- North Between Sec. 11. & 12. T. 14. N. R. 5. W.  
 32. 44 To an Elm 14. in diam stands in the line  
 40 00 To a 1/4 Sec. post from which a  
 Beech 14. in diam. bears S. 78. W. 20. links dist. & a  
 Sugar 12. " " " S. 73. E. 6. " "  
 46. 50 To a Sprung Branch. Course S. W.  
 53. 00 " " Beech 4. links. wide, bears S. W.  
 60. 60 To a Beech 16 in diam. stands in the line  
 80 00 To a post for the cor. of Sec. 1. 2. 11. & 12. from which  
 a Beech 12. in diam. bears S. 25. W. 33. links dist. & an  
 Shimmer 7. " " " S. 60. E. 28. " "  
 Land rolling & soil rich; Timber, Beech Ash Sugar  
 Walnut. W. Oak. Poplar &c. W. g. Spice &c.

- 
- East On a Random line between Sec. 1. & 12. T. 14. N. R. 5. W.  
 40 00 To a temp<sup>l</sup> post for the cor. of 1/4 Sec.  
 79. 40 Intersect the E. Boundary 39 links S. of the post cor. of  
 Sec. 1. & 12. Land level. & post broken; Timber,  
 Beech, Sugar. Poplar. Walnut. Ash &c. W. g. Spice &c

- 
- West On the true line between Sec. 1. & 12. T. 14. N. R. 5. W.  
 39. 70 To a post for the cor. of 1/4 Sec. at the aver. dist. on the true  
 line from which a Sugar 20. in diam. bears N. 35. W. 18. links dist.  
 and a Beech 10. " " " S. 35. E. 14. " "  
 79. 40 To the post cor. of sec. 1. 2. 11. & 12. T. 14. N. R. 5. W.

---

The above lines were left out in their proper place by  
 mistake